

## Ripley Tools

### TORQUE WRENCHES

- Assures proper connectorization at “F” connector interface
- Torques “F” connector precisely and indicates proper calibrated torque with and audible “clicking” sound
- Angle head design for easy access
- Prevents damage to equipment for over or under tightening
- Torque 3,39 Nm
- Length 165 mm
- Weight 182 g



**TW 307**  
**TW 307-AH IT**

### F-CONNECTOR INSERTION TOOL

- Makes “F” connector insertion fast and easy even in cold temperatures
- Especially useful when using tri-shield and quad-shield cables
- Large plastic screwdriver-type
- For 59, 6, 11 series “F” connectors
- Length: 127 mm
- Weight: 99 g



**IT 59, 6, 11 1**

### CENTER CONDUCTOR SCRAPER

- For removing residual dielectric from the conductor of all size of trunk and distribution cables (without scratching or nicking)
- Finger grippers permit application of maximum force
- Clear plexiglas scraping blades
- Length: 108 mm
- Weight: 57 g



**CC 100, CC 200**

### AR 9 NINE PIECE HEX-KEY SET

- A convenient folding pocket-size set containing nine popular hex INCH sizes
- 050, 1/16, 5/64,
- 3/32, 7/64, 1/8,
- 9/64, 5/32, 3/16
- Eliminates the lost key problem
- Heat treated for maximum strength
- Convenient handle for maximum comfort and extra leverage
- Length: 88,9 mm
- Weight: 127,7 g



**AR 9**

## COMPRESSION ASSEMBLY TOOLS

- Tool design provides a clear view of the connector assembly compression action
- Unique adjustment features assure connector consistency
- Spring loaded, split bases position cable and connector for easy insertion and removal
- Tool conversion for different connectors is easily accomplished by changing the plunger tip
- Colour-coded band on plunger tip permits easy connector identification
- Ergonomic, user friendly design; easy, one hand compression operation
- Length: 187 mm
- Weight: 500 g
- CAT AIO: This all in one compression tool design allows for assembly of series 59,6, 7 and 11 drop connectors (F, IEC & BNC) from most connector manufacturers, tool is supplied with two unique interchangeable plunger tips (IPT) and one stripping tool



**CAT EX** 59, 6 PPC-Series

**CAT AS EX** 59, 6, 11 PPC-Series

**CAT AS (All Series)** 59, 6, 11 Series

**CAT AS IEC/F-FX (All Series)** 59, 6, 11



**CAT AIO** 59, 6, 11 Series



## HEX CRIMP TOOLS

- For CATV, MATV and STV type cable connectors
- Precision quality alloy steel jaws are self-bottoming and will not over-crimp
- Rugged components for long, trouble free performance
- Easy to read hex sizes stamped on frame
- Full cushion handles will not slide off
- Length: 229 mm
- Weight: 708 g



**CR 611U** 6, 11-Series

## DROP TRIMMERS

- One step cable preparation exposes the center conductor and removes the proper length of jacket
- No adjustments or extra tools required
- Blade cassettes colour-coded and marked with cable type and braid preparation dimension for easy identification
- Unique "Cassette Ejector" provides quick blade cassette removal
- Length: 120,6 mm
- Weight: 51 g
- Length: 139,7 mm
- Weight: 127 g



UDT 59611-250 59, 6, 11-Serie



SDT 596-250 59, 6-Serie  
SDT 11-250 11-Serie

## FT FLARING TOOLS FOR DROP CABLES

- For flaring or expansion to permit easier insertion of "F" connectors
- Recommended for polyethylene jacketed cables
- Length: 114 mm
- Weight: 57 g



FT-59  
FT-6  
FT-11

## LOCKING TERMINATOR TOOL

- Available in two convenient lengths
- Longer and larger handle diameter on LTT 7 for better grip and leverage
- Smaller diameter handle on LTT 4 provides easier access between traps shields on tap spigots
- Length: LTT 4 (114 mm), LTT 7 (203 mm)
- Weight: LTT 4 (54 g), LTT 7 (118 g)



LTT 4

## CABLE CUTTERS

- Cuts with no cable distortion
- CXC (yellow handle) effective for cutting up to 19 mm
- CXC 1 (blue handle) effective for cutting up to 25,4 mm
- Lightweight, easy to use, compact
- Length: 203 mm
- Weight: 312 g



CXC 1, CXC

## SECURITY SHIELD TOOL

- For use with 7/16" hex shielded "F" connectors
- New design with extended 7/16 inch shank allows the tools to be used with the TW torque wrenches in security shield applications
- Machined and heat treated steel for maximum durability
- Knurled handle allows for easy and secure gripping
- Steel loop permits additional tool turning leverage and serves as a convenient carrying loop for attachment to belt or pouch
- Length: 70 mm
- Weight: 57 g



S-200

## TT 716 TRAP TOOL

- Lightweight steel and black polymer construction
- Fits all standard traps
- Fits 7/16" hex F-fittings
- 7/16" hex head is machined heat treated steel
- Length: 19 mm
- Weight: 71 g



TT-716

## CORING & STRIPPING TOOLS

- Combination tool cores and strips in one fast and precise operation
- Heat treated sheath cutting blade produces a smooth beveled edge and can be replaced without the expense of replacing the entire coring bit
- Rugged, durable, all metal construction
- Colour coded cable guide sleeves for easy cable size identification
- Length: 175 mm
- Weight: 738 g



CST 412 412 Serie  
CST 500 500 Serie  
CST 750 750 Serie  
CST 21000 1000 Serie

## QUICK CHANGE CORNING – STRIPPING TOOL

- All in one, accurately strips the jacket, cores out the dielectric, strips and bevels the aluminium sheath.
- New design conveniently attaches the jacket stripper body (QJST) to the main body of the coring and stripping tool by means of a "QUICK-CHANGE" rotating body ring
- Jacket stripping body (QJST), when used separately to remove the jacket on flooded cable, is uniquely designed to automatically provide 88,9 mm (3,50") of jacket removal when rotated to the end of the body
- Jacket stripper body and coring / stripping tool guide sleeve are all colour coded for easy cable identification
- Pre set jacket blade assures no scoring or nicking of aluminium sheath
- Rugged, durable, all metal construction
- Heat treated sheath cutting blade produces a smooth beveled edge and can be replaced without the expense of replacing the entire coring bit
- Length: 205,7 mm
- Weight: 525 g
- 



QCST 412 412-Serie  
QCST 500 500-Serie  
QCST 750 750-Serie

## DROP CABLE SLITTER

- Designed to slit the web on 59, 6 & 11 series messengered and dual cables with following cable configurations: messengered coaxial drop cable, dual coaxial drop cable, dual coaxial and twisted pair cable
- Provides a clear view of slitting action
- Built in saddle and spring loaded jaw permits easy positioning of cable
- No blade adjustments required
- Built in shaving blade removes residual ridge material allowing easy connectorization
- Ergonomic, user friendly design
- Length: 70 mm
- Weight: 140 g



DCS

## QRT TOOL KITS FOR COMMSCOPE (QR) CABLE

- Specifically designed for CommScope Quantum Reach (QR) cables and also prepares Alcatel Cable Benelux - ACW cable
- QRT Kits include a coring and stripping tool and a jacket stripping tool (CSTQR & JSTQR)
- Heat treated, sheath cutting blade produces a smooth beveled edge and can be replaced without the expense of replacing the entire coring bit
- QRT Length: 213 mm
- Weight: 795 g
- JSTQR Length: 67 mm
- Weight: 170 g



**QRT 500 500 Series**

## JACKET STRIPPING TOOLS

- Fast and efficient removal of jackets from trunk and distribution coaxial cables
- New anodized colour-coded bodies to match our coring and stripping tool sleeves (standard JST 412 through JST 1000 only)
- Preset JST blades minimize scoring or nicking of the aluminium sheath
- Knurled body for sure grip
- Replacement blade for all JST tools is CB 6667H
- Length: 67 mm
- Weight: 170 g
- 



**JST 412 412-Series**  
**JST 500 500 Series**  
**JST 750 750 Series**

## PPC Tools

### PREP TOOL FOR COPPER CABLES

- Tool accurately strips the jacket and the copper sheath
- Tool design allows Quick-Change of the jacket stripper body from the main body of the stripping tool
- Pre set jacket blade assures no scoring or nicking of copper sheath
- Rugged, durable, all metal construction
- Heat treated sheath cutting blade can be replaced
- B004 PREP TOOL Length 180 mm  
Weight 440 g
- D015 PREP TOOL Length 150 mm  
Weight 358 g
- G003 PREP TOOL Length 188 mm  
Weight 482 g



**B004 PREP TOOL CL 1.7/7.0**  
**D015 PREP TOOL CL 2.1/8.8**  
**G003 PREP TOOL CL 3.3/13.5**

## PCT Tools

### F CONNECTOR TOOL FOR TRS, DRS, RCA, BNC AND IEC COMPRESSION CONNECTORS

- Pop out mandrel allows for BNC and right angle connections to be made with ease
- For series 6, 7, 11 and 59 cables
- Compatible with most 75 ohm compression connectors and can change between stroke lengths to accommodate many connector types
- Compatible with F connectors, RCA connectors and BNC connectors
- Compatible with PCT's 18 mm and 21 mm stroke length options
- Latch mechanism allows for convenient storage in any tool bag



## ATX Tools

### COMPRESSION TOOL FOR BNC 59 RQ

- Tool design provides a clear view of the connector assembly compression action
- Spring loaded, split bases position cable and connector for easy insertion and removal
- Ergonomic, user friendly design; easy one hand compression operation
- Length: 185 mm
- Weight: 408 g



CT 3195

### PREP TOOL

- Preparation tool for professional connector installation on coaxial cable
- Length: 31 mm
- Weight: 26 g



MNCPT 059